



NINGBO ZHENJIA ELECTRIC CO.,LTD

NO 5-2 Simen section,Yaobei Ave,Simen Town,Yuyao City,Zhejiang,315472

0574-62160788

0574-62169027

zjdq@ningbozhenjia.com

www.ningbozhenjia.com

ZHENJIA

ELECTRIC

NINGBO ZHENJIA ELECTRIC
CO.,LTD

www.ningbozhenjia.com





ISO9001

Perfect quality management system
ISO 9001

2006


The company was established
in 2006

NINGBO ZHENJIA ELECTRIC CO.,LTD was established in 2006, the company is mainly engaged in research and development, production and sales: J1772 ,Type1,Type2,GB/T AC/DC charging cable; Electric vehicle AC/DC charging gun, EV charger, RV adapter,UL Power cord and temporary string light etc.

The company has a professional R&D Team,perfect quality management system ISO 9001, UL / ETL certification.ZHENJIA has developed steadily in the past ten years, and has grown into a well-known enterprise in the industry. Its products are exported to high-end markets the United States.Serving the country with industry, rewarding society with value, standing on the market with reputation, and galloping towards the future with strength.

COMPANY PROFILE

CERTIFICATE DISPLAY





ZHEN JIA
振佳

Rv electric adapter

The product is used for campervan, trailers, motorhome, caravan parks, campgrounds, recreational areas, etc.



ZHEN JIA
振佳

Rv electric adapter

The product is used for campervan, trailers, motorhome, caravan parks, campgrounds, recreational areas, etc.



ZJRV-TT30P-A/ZJRV-TT30R-A

30A 125V

10AWG/3

ST,STO,STOO,STW,STOW,STOOW



TT-30P



TT-30R



ZJRV-1030P-A/ZJRV-1030R-A

30A 125V/250V

10AWG/3 8AWG/2+10AWG

ST,STO,STOO,STW,STOW,STOOW,SRDT,DRT



10-30P



10-30R



ZJRV-1050P-A/ZJRV-1050R-A

50A 125V/250V

10AWG/3 8AWG/3 8AWG/2+10AWG/1

8AWG/2+6AWG/1 6AWG/3

ST,STO,STOO,STW,STOW,STOOW,SRDT,DRT



10-50P



10-50R



ZJRV-1430P-A/ZJRV-1430R-A

30A 125V/250V

10AWG/4

8AWG/2+10AWG/2

ST,STO,STOO,STW,STOW,STOOW,SRDT



14-30P



14-30R



ZJRV-1450P-A/ZJRV-1450R-A

30A/40A/50A 125V/250V

10AWG/4 8AWG/2+10AWG/2 8AWG/3+10AWG/1 8AWG/4

6AWG/2+8AWG/2 6AWG/3+8AWG/1 6AWG/4


ST,STO,STOO,STW,STOW,STOOW,SRDT




14-50P




14-50R



15AMP
NEMA 5-15P



15AMP
NEMA TT-30R



50AMP
NEMA 14-50R

15A Male to 30/50A Female


30A 125V

10AWG/3

ST,STO,STOO,STW,STOW,STOOW



30AMP
NEMA TT-30P




50AMP
NEMA 14-50R

30A Male to 50A Female


30A 125V

10AWG/3

ST,STO,STOO,STW,STOW,STOOW



50AMP
NEMA 14-50P



30AMP
NEMA TT-30R

50A Male to 30A Female

30A 125V

10AWG/3

ST,STO,STOO,STW,STOW,STOOW



ZHEN JIA
振佳

Range and dryer cord

The product is used for washing machines, dryers, and dishwashers



ZHEN JIA
振佳

Range and dryer cord

The product is used for washing machines, dryers, and dishwashers



ZJ1030P

30A 125V/250V

10/3,8/3,6/3,8/2+10/1, 6/2+8/1

DRT,SRDT



ZJ1050P

40A 125V/250V

8/3,8/2+10/1

DRT,SRDT

50A 125V/250V

6/3,6/2+8/1

DRT,SRDT



14-50R



14-30R



10-50R



10-30R

ZJ1450R

10/4	30/125,250	SRDT, DRT, SJT,SJTW,SJTO,SJTOW, SJTOO,SJTOOW,ST, STW, STO, STOW, STOO, STOOW
8/4,8/3+10/1,8/2+10/2	40/125,250	SRDT, DRT,ST, STW, STO, STOW, STOO, STOOW
6/2+8/2,6/3+8/1,6/4	50/125,250	SRDT, DRT,ST, STW, STO, STOW, STOO, STOOW

ZJ1430R

12/4,10/4	25,30/125,250	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW
10/4, 8/2+10/2	30/125,250	SRDT, DRT,ST, STW, STO, STOW, STOO, STOOW

ZJ1050R

10/3	30/125,250	ST,STO,STOO,STW,STOW,STOOW, EVE
8/3, 8/2+10/1	40/125,250	SRDT,DRT, ST,STO,STOO,STW, STOW,STOOW ,EVE
6/3, 6/2+8/1	50/125,250	SRDT,DRT, ST,STO,STOO,STW, STOW,STOOW ,EVE

ZJ1030R

12/3 ,10/3	25,30/125,250	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW
10/3,8/2+10/1,	30/125,250	SRDT, DRT,ST, STW, STO, STOW, STOO, STOOW



ZJ1430P

20/30A 125V/250V

30A 125V/250V

12/4,10/4

10/4,8/4, 6/4,8/2+10/2,6/2+8/2

SJT, SJTW, SJTO, SJTOW, SJT OO, SJTOOW, ST, STW, STO, STOW, STOO,STOOW

DRT,SRDT



ZJ1450P

40A/50A 125V/250V

30A/40A/50A 125V/250V

8/2+10/2,8/4,6/4

10/4,8/4, 8/2+10/2,6/2+8/2,6/4

ST, STW, STO, STOW, STOO, STOOW

DRT,SRDT



5-50P

ZJ550P

10/3	50/125	SJT,SJTW,SJTO,SJTOW,SJTOO,SJTOOW,S T,STW,STO,STOW,STOO,STOOW,SJ,SJO,S JOW,SJOO,S,SO,SOW,SOO,SOOW
------	--------	--



15-50P

ZJ1550P



8/4	40/125, 250	S,SO,SOW,SOO,SOOW,SE,SEW,SEO,SEOW ,SEOO,SEOOW,ST,STW,STO,STOW,STOO, STOOW
6/4	50/125, 250	
6/3+8/1	50/125, 250	ST,STW,STO,STOW,STOO,STOOW



6-50P

ZJ650P

12/3	25/125, 250	SPT-3,SJ,SJO,SJOW,SJOO,SJOOW,S JT,SJTW,SJTO,SJTOW,SJTOO,SJTOO W,S,SO,SOW,SOO,SOOW,ST,STW,STO, STOW,STOO,STOOW
10/3	30/125, 250	
8/2+10/1	40/125,250	
10/3,9/3	30/125, 250	
6/2+8/1	50/125,250	EVE
8/3,8/2+10/1	40/125,250	EVE,S,SO,SOW,SOO,SOOW,SE,SE W,SEO,SEOOW,SEOO,SEOOW,ST, STW,STO,STOW,STOO,STOOW
6/3,6/2+8/1	50/125,250	



6-30P

ZJ630P

14/3	16/125, 250	SPT-3,SJT,SJTW,SJTO,SJTOW,SJTOO,SJT OOW,ST,STW,STO,STOW, STOO,STOOW,SJ,SJO,SJOW,SJOO,SJOOW ,S,SO,SOW,SOO,SOOW
12/3	25/125, 250	
10/3	30/125, 250	



15-50R

ZJ1550R


8/4	40/125, 250	SRDT,DRT
6/4	50/125, 250	
6/3+8/1	50/125, 250	ST,STW,STO,STOW,STOO,STOOW
6/4	50/125, 250	



5-50R

ZJ550R


10/3	40/125	SJT,SJTW,SJTO,SJTOW,SJTOO,SJTOOW,S J,SJO,SJOW,SJOO,SJOOW
8/3	50/125	ST,STW,STO,STOW,STOO,STOOW,S,SO,S OW,SOO,SOOW



6-50R

ZJ650R

14/3	16/125, 250	SJT,SJTW,SJTO,SJTOW, SJTOO,SJTOOW, SJ,SJO,SJOW,SJOO,SJOOW
12/3	25/125, 250	
10/3	30/125, 250	
14/3	16/125, 250	ST,STW,STO,STOW,STOO,STOOW,S,SO,S OW,SOO,SOOW
12/3	25/125, 250	
10/3	30/125, 250	
8/2+10/1	40/125,250	



6-30R

ZJ630R

14/3	16/125, 250	SPT-3,SJT,SJTW,SJTO,SJTOW,SJTOO,SJT OOW,ST,STW,STO,STOW, STOO,STOOW,SJ,SJO,SJOW,SJOO,SJOOW ,S,SO,SOW,SOO,SOOW
12/3	25/125, 250	
10/3	30/125, 250	

Self-locking Series

The product is used for washing machines, dryers, and dishwashers



LISTED



LISTED



Intertek



ZJ-L530P ZJ-001

		12AWG/3	15/125	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW, SJTOW,SJTOOW,ST,STO,STOO,STW, STOW,STOOW,S,SO,SOO,SOW,SOOW ST,STO,STOO,STW,STOW,STOOW,S, SO,SOO,SOW,SOOW
		10AWG/3	15/125	



ZJ-L530P ZJ-520R-3

		14AWG/3	15/125	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW, SJTOW,SJTOOW,ST,STO,STOO,STW, STOW,STOOW,S,SO,SOO,SOW,SOOW ST,STO,STOO,STW,STOW,STOOW,S, SO,SOO,SOW,SOOW
		12AWG/3	20/125	
		10AWG/3	20/125	



ZJ-L1430P ZJ-520R-3

		14AWG/3	15/125	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW, SJTOW,SJTOOW,ST,STO,STOO,STW, STOW,STOOW,S,SO,SOO,SOW,SOOW ST,STO,STOO,STW,STOW,STOOW,S, SO,SOO,SOW,SOOW
		12AWG/3	20/125	
		10AWG/3	20/125	



ZJ-L530P ZJ-L530R

		12AWG/3	25/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW, SJTOOW,ST,STO,STOO,STW, STOW,STOOW,S,SO,SOO,SOW,SOOW
		10AWG/3	30/125, 250	
		8AWG/2+ 10AWG/1	30/125, 250	ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO, SOW,SOOW

Self-locking Series

The product is used for washing machines, dryers, and dishwashers



LISTED



LISTED



Intertek



ZJ-L1430P ZJ-L1430R

		12AWG/4	25/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW, SJTOOW,ST,STO,STOO,STW, STOW,STOOW,S,SO,SOO,SOW,SOOW
		10AWG/4	30/125, 250	
		8AWG/2+ 10AWG/2	30/125, 250	ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO, SOW,SOOW



ZJ-L1430P ZJ1430R

		12AWG/4	25/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW, SJTOOW,ST,STO,STOO,STW, STOW,STOOW,S,SO,SOO,SOW,SOOW
		10AWG/4	30/125, 250	
		8AWG/2+ 10AWG/2	30/125, 250	ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO, SOW,SOOW



ZJRV-TT30P-A ZJ-L530R

		10AWG/3	30/125	SJT,SJTW,SJT-R, ST,STO,STOO,STW,STOW,STOOW
---	---	---------	--------	---



ZJ1030P 2*ZJ1030R

			30/125, 250	ST,STO,STOO,STW,STOW,STOOW
---	---	--	----------------	----------------------------

Self-locking Series

The product is used for washing machines, dryers, and dishwashers



Self-locking Series

The product is used for washing machines, dryers, and dishwashers



ZJ-SS250R

10/4	30/125,250	SJT,SJTW,SJTO,SJTOW,SJTOO,SJTOOW,ST,STW,STO,STOW,STOO,STOOW,EVE
8/4,8/2+10/2	40/125,250	ST,STW,STO,STOW,STOO,STOOW
6/2+8/2,6/4	50/125,250	ST,STW,STO,STOW,STOO,STOOW



ZJ-L530R-A

12AWG/3	25/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW,SJTOOW,ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW
10AWG/3	30/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW,SJTOOW,ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW
8AWG/2+10AWG/1	30/125, 250	ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW



ZJ-L1430R-A

12AWG/4	25/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW,SJTOOW,ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW
10AWG/4	30/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW,SJTOOW,ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW
8AWG/2+10AWG/2	30/125, 250	ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW



ZJ-L530P-A

12AWG/3	25/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW,SJTOOW,ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW
10AWG/3	30/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW,SJTOOW,ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW
8AWG/2+10AWG/1	30/125, 250	ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW



ZJ-L1430P-A

12AWG/4	25/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW,SJTOOW,ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW
10AWG/4	30/125, 250	SJT,SJT-B,SJT-R,SJTO,SJTOO,SJTW,SJTOW,SJTOOW,ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW
8AWG/2+10AWG/2	30/125, 250	ST,STO,STOO,STW,STOW,STOOW,S,SO,SOO,SOW,SOOW



ZJ-L1430P ZJ1430R

16/3	13/125	SPT-2, SPT-3, SPT-2W, SVT, SVTO, SVTOO, SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, SPT-2-B, SPT-3-B, SVT-B, SJT-B
14/3	15/125	SPT-3, SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, SPT-3-B, SJT-B

Self-Locking series

The product is used for washing machines, dryers, and dishwashers



America Plug

This product is use for AC household power cable.



L 5-20P




L 5-50R



L 6-20P



L 6-20R



L 15-30P



L 15-30R

ZJ-L520P

16/3	13/125	SJ,SJO,SJOW,SJOO,SJOOW,SJT,SJTW,SJTO,SJTO W,SJTOO,SJTOOW,S,SO,SOW,SOO,SOOW,ST,STW ,STO,STOW,STOO,STOOW
14/3	16/125	
12/3	20/125	

ZJ-L520R

16/3	13/125	SJ,SJO,SJOW,SJOO,SJOOW,SJT,SJTW,SJTO,SJTO W,SJTOO,SJTOOW,S,SO,SOW,SOO,SOOW,ST,STW ,STO,STOW,STOO,STOOW
14/3	16/125	
12/3	20/125	

ZJ-L620P

16/3	13/125	SJ,SJO,SJOW,SJOO,SJOOW,SJT,SJTW,SJTO,SJTO W,SJTOO,SJTOOW,S,SO,SOW,SOO,SOOW,ST,STW ,STO,STOW,STOO,STOOW
14/3	16/125	
12/3	20/125	

ZJ-L620R

16/3	13/125	SJ,SJO,SJOW,SJOO,SJOOW,SJT,SJTW,SJTO,SJTO W,SJTOO,SJTOOW,S,SO,SOW,SOO,SOOW,ST,STW ,STO,STOW,STOO,STOOW
14/3	16/125	
12/3	20/125	

ZJ-L1530P

12/4	25/125, 250	SJ,SJO,SJOW,SJOO,SJOOW,SJT,SJTW,SJTO,SJTO W,SJTOO,SJTOOW,S,SO,SOW,SOO,SOOW,ST,STW ,STO,STOW,STOO,STOOW
10/4	30/125, 250	

ZJ-L1530R

14/4	16/125	SJ,SJO,SJOW,SJOO,SJOOW,SJT,SJTW,SJTO,SJTO W,SJTOO,SJTOOW,S,SO,SOW,SOO,SOOW,ST,STW ,STO,STOW,STOO,STOOW
12/4	25/125, 250	
10/4	30/125, 250	




5-20P




5-20R

ZJ520P/ZJ520R

16/3	SPT-2,SPT-2W,SPT-2-B,SPT-3,SPT-3-B,SVT,SVT-R,SVT-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO,SJTW,SJTOW, SJTOOW,STW,STOW,STOOW	13A/125V
14/3	SPT-3,SPT-3-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO, SJTW,SJTOW,SJTOOW,STW,STOW,STOOW	15A/125V
12/3	SPT-3,SPT-3-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO, SJTW,SJTOW,SJTOOW,STW,STOW,STOOW	20A/125V
10/3	SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO,SJTW,SJTOW,SJ TOOW,STW,STOW,STOOW	20A/125V



6-15P




6-15R

ZJ615P/ZJ615R

18/3	SPT-2,SPT-2W,SPT-2-B,SPT-3,SPT-3-B,SVT,SVT-R,SVT-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO,SJTW,SJTOW,S JTOOW,STW,STOW,STOOW	10A/250V
16/3	SPT-2,SPT-2W,SPT-2-B,SPT-3,SPT-3-B,SVT,SVT-R,SVT-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO,SJTW,SJTOW,S JTOOW,STW,STOW,STOOW	13A/250V
14/3	SPT-3,SPT-3-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO, SJTW,SJTOW,SJTOOW,STW,STOW,STOOW	15A/250V
12/3	SPT-3,SPT-3-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO, SJTW,SJTOW,SJTOOW,STW,STOW,STOOW	15A/250V



6-20P



6-20R

ZJ620P/ZJ620R

16/3	SPT-2,SPT-2W,SPT-2-B,SPT-3,SPT-3-B,SVT,SVT-R,SVT-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO,SJTW,SJTOW,S JTOOW,STW,STOW,STOOW	13A/250V
14/3	SPT-3,SPT-3-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO, SJTW,SJTOW,SJTOOW,STW,STOW,STOOW	15A/250V
12/3	SPT-3,SPT-3-B,SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO, SJTW,SJTOW,SJTOOW,STW,STOW,STOOW	20A/250V
10/3	SJT,SJT-B,SJT-R,SJTO,SJTOO,ST,STO,STOO,SJTW,SJTOW,SJ TOOW,STW,STOW,STOOW	20A/250V

Portable EV Charger

J1772 Plug EV charger



Portable EV Charger

GB/T Portable EV charger/Type 2 Portable EV charger



J1772

ZJ-EV-A16/A32/A40

Rated Voltage	16A/32A/40A	
Max Power	3.5KW/ 7KW/ 9KW	
Cable Specification	3*14AWG+2*18AWG 3*8AWG+2*18AWG	3*10AWG+2*18AWG TPE EVE
Case Material	Thermoplastic (UL94-0)	
Rated voltage	110-240V	
Standard	IEC 62196-1. IEC 62196-2 TYPE2	
Operating temperature	-35°C to 50°C	
Degree of Protection	IP55	
Product Performance	Over voltage protection, Under Voltage protection, Over load Protection, Leakage Protection, Ground protection, Over temperature Protection, Lightning protection, short Circuit protection, flame retardant	



GB/T 20234

ZJ-PEVC-CC16A/32A

Rated Voltage	16A/32A
Max Power	3.5KW/ 7.2KW
Cable Specification	H07BZ5-F3*2.5mm ² +2x0.5mm ² H07BZ5-F3*6mm ² +2x0.5mm ²
Case Material	Thermoplastic (UL94-0 V-0)
Rated voltage	250V
Standard	FN IEC 61851-1: 2019
Operating temperature	-35°C to 50°C
Degree of Protection	IP55
Product Performance	Over voltage protection, Under Voltage protection, Over load Protection, Leakage Protection, Ground protection, Over temperature Protection, Lightning protection, short Circuit protection, flame retardant

ZJ-PEVC-CC16A/32A

Rated Voltage	16A/32A
Max Power	3.5KW/ 7.2KW
Cable Specification	3*2.5mm ² +2*0.75mm ² 3*6mm ² +2*0.75mm ² TPE EVE
Case Material	Thermoplastic (UL94-0 V-0)
Rated voltage	220V
Standard	GB/T-20234-2015
Operating temperature	-35°C to 50°C
Degree of Protection	IP55
Product Performance	Over voltage protection, Under Voltage protection, Over load Protection, Leakage Protection, Ground protection, Over temperature Protection, Lightning protection, short Circuit protection, flame retardant



IEC62196


DC Electric Vehicles charging Connector/Cable

CCS1



DC Electric Vehicles charging Connector/Cable

GBT / CCS2



J1772




NACS

ZJ-DCDQ-TS

Specifications	3AWG/4+14AWG/1+18AWG/6
Current (A)/ Voltage (V)	200,250/1000
Wiring	EVE

ZJ-DCDQ-US80A/125A/150A/250A


Rated Voltage	80A/125A/150A/200A
Cable Specification	2*4AWG(21.2mm ²)+1*7AWG(10.6mm ²)+6*18AWG(0.824mm ²) 2*1AWG(42.4mm ²)+1*4AWG(21.2mm ²)+6*18AWG(0.824mm ²) 2*1/0AWG(53.5mm ²)+1*3AWG(26.7mm ²)+6*18AWG(0.824mm ²) 2*3/0AWG(85.0mm ²)+1*1AWG(42.4mm ²)+6*18AWG(0.824mm ²)
Case Material	Thermoplastic (UL94-0 V-0)
Rated voltage	750 V/1000 V
Standard	SAE J1772-2017 IEC62196-3-2014
Operating temperature	-35°C to 50°C
Degree of Protection	IP55
Product Performance	Over voltage protection, Under Voltage protection, Over load Protection, Leakage Protection, Ground protection, Over temperature Protection, Lightning protection, short Circuit protection, flame retardant



GB/T 20234

ZJ-DCDQ-EU80A/125A/150A/250A/300A

Rated Voltage	80A/125A/150A/200A/250A/300A
Cable Specification	2 x 16mm ² +1x25mm ² +(6 x 0.75mm ²)(P2) 2 x 35mm ² +1x25mm ² +(6 x 0.75mm ²)(P2) 2 x 50mm ² +1x 25mm ² +(6 x 0.75mm ²)(P2) 2 x 70mm ² +1 x 25mm ² +(6 x 0.75mm ²)(P2) 2 x 80mm ² +1 x 25mm ² +(6 x 0.75mm ²)(P2) 2 x 95mm ² +1 x 25mm ² +(6 x 0.75mm ²)(P2)
Case Material	Thermoplastic (UL94-0 V-0)
Rated voltage	750V/1000V
Standard	IEC 62196-1, IEC 62196-2, IEC 62196-3
Operating temperature	-35°C to 50°C
Degree of Protection	IP55
Product Performance	Over voltage protection, Under Voltage protection, Over load Protection, Leakage Protection, Ground protection, Over temperature Protection, Lightning protection, short Circuit protection, flame retardant



IEC62196

07/08